



3 PRO d.o.o. za informacijske tehnologije • Lanište 24 • HR-10020 Zagreb
IBAN: **HR17 2484 0081 1034 4769 6** • SWIFT: RZBHHR2X • PDV/VAT ID: **HR60378406301**
Web: www.3pro.eu • E-mail: 3pro@3pro.eu • Tel.: +385 1 3333 850

SPDisplayRecentChanges

SharePoint Display Recent Changes Solution

Sadržaj

1. Installation and activation	2
2. Usage and settings	2
3. Uninstallation	3

1. Installation and activation

1. Create „wsp“ folder in your C:\, and copy the solution wsp in there so the path looks like this **C:\wsp\SPDisplayRecentChanges.wsp**

2. Deploy the wsp file to the server using the given **example** commands (Sharepoint Shell) - > **you'll have to change orange parts according to your needs**

```
• Add-SPSolution -LiteralPath C:\wsp\SPDisplayRecentChanges.wsp;
```


3. Install the solution to the server (**be carefull to change http to https if you are using it**)

```
• Install-SPSolution -Identity SPDisplayRecentChanges.wsp -  
webapplication http://intranet.contoso.com -gacdeployment;
```

4. Open site collection features and activate SPDisplayRecentChanges feature

2. Usage and settings

Edit your site on which you want Display recent changes webpart. Click Add a WebPart, under Categories choose Custom, and add Recent Changes WebPart..



After that, edit webpart which you have just added, and choose which document libraries from this site will be shown on webpart, how many changes will be shown and will the **document source library column** be displayed.

Recent Changes				
Type	Name	Library	Modified	Modified By
	New Microsoft Word Document	Document Library	1/1/1980 00:00:00 AM	<input type="checkbox"/> System Account

3. Uninstallation

To uninstall the solution use the following commands in Sharepoint shell:

- `uninstall-spsolution -identity SPDisplayRecentChanges.wsp -webapplication http://intranet.contoso.com;`
- WAIT APPROX. 30 seconds for command to finish and then type:
- `Remove-SPSolution SPDisplayRecentChanges.wsp;`